#### **SPECIFICATIONS LEAD SHEET**


STYLE NUMBER: 5106 SIZE RANGE: S-XL

PROTO NUMBER: 1 SAMPLE SIZE: M

MAIN LABEL: SEASON: SS 2023

CONTENT: 70% Cotton, 30% Nylon CATEGORY: menswear, outerwear

CARE: Wash in cold, hang dry DESCRIPTION: Utility vest






SELF FABRIC:	70% Cotton, 30% Nylon	SUPPLIER:	MOOD Fabrics
CONTRAST 1:		SUPPLIER:	
CONTRAST 2:		SUPPLIER:	
CONTRAST 3:		SUPPLIER:	
CONTRAST 4:		SUPPLIER:	
LINING 1:		SUPPLIER:	
LINING 2:		SUPPLIER:	
POCKETING:	70% Cotton, 30% Nylon	SUPPLIER:	MOOD Fabrics
INTERFACING 1:		SUPPLIER:	
<b>INTERFACING 2:</b>		SUPPLIER:	
INTERFACING 3:		SUPPLIER:	
TRIM 1:	4-Hole, Plastic button	SUPPLIER:	Wawak Sewing
TRIM 2:	Antique brass D-Ring	SUPPLIER:	Wawak Sewing
TRIM 3:	Matte metal carabiner	SUPPLIER:	Wawak Sewing
TRIM 4:	Antique brass zipper	SUPPLIER:	YKK Tokyo
TRIM 5:	Reflective piping	SUPPLIER:	Seattle Fabrics
TRIM 6:	Velcro	SUPPLIER:	Wawak Sewing
TRIM 7:	Wave motif sew on patch	SUPPLIER:	Shopify
TRIM 8:	Arctic Descent sew on patch	SUPPLIER:	Shopify
TRIM 9:	Arctic Descent hangtag	SUPPLIER:	Shopify
TRIM 10:	Wash and care label	SUPPLIER:	Shopify


#### **LABEL PLACEMENT SHEET**

STYLE NUMBER: 5106 SIZE RANGE: S-XL

PROTO NUMBER: 1 SAMPLE SIZE: M

DESCRIPTION: Utility vest SEASON: SS 2023






LABEL: Brand name, size, fiber content, country of

origin

Below collar on CB

LABEL: Care label

Left sideseam 4" above hem



Attached to loop that holds carabiner

# POINTS OF MEASURE

STYLE #:	5106	FIT TYP	≣:	Classic	DESIGNER	Isaac Silva
FABRIC:	70% Cotton, 30% Nylon	SIZE RA	NGE:	S-XL	SEASON:	SS 2023
SAMPLE SIZE:	М	STATUS:	Prototype-1			
A NEOK DROB E	DONT	TOL			C. A. D.	•
A. NECK DROP F		3/8"	8"			<b>*</b>
B. ARMHOLE HEI		1/4"	9 1/2"		В. —	
	NGTH TO ARMHOLE	1/4"	6 3/4"		G. \\	<del>- ∦</del> E.
D. COLLAR WIDT		3/8"	1 3/4"		BCIL F	
E. DISTANCE FRO	OM HPS TO FIRST PIPING PANEL	1/4"	12"			H.
F. WAIST 21" FRO	OM HPS	1/8"	10 1/8"			[25]
G. HPS TO SEW C	ON PATCH	1/4"	6"			T .
H. BOTTOM OF SI	EW ON PATCH TO TOP OF CARGO POCKET	3/8"	2 1/2"		M	J.
I. LENGTH OF SID	DESEAM	3/8"	10 3/4"		P	
J. CHEST 1" BELO	OW ARMHOLE (FULL)	1/8"	10 1/8"		O	K.
K. DISTANCE BET	TWEEN PIPING TO ZIPPER POCKET	1/8"	2"			F.
L. DISTANCE BET	TWEEN CF ZIPPER TO CARGO POCKET	1/8"	2"			
M. DISTANCE BET POCKET	TWEEN CARABINER PATCH TO CARGO	1/8"	3/4"		Q. 1	LAPLE
N. HEM		1/8"	1/4"			
O. DISTANCE BET	TWEEN CARABINER PATCH TO SIDESEAM	3/8"	3 1/4"		R. N	,
P. DISTANCE BET PIPING	TWEEN BOTTOM OF CARGO POCKET TO	1/4"	1 3/4"		S. T	
Q. LENGTH OF MI	IDDLE PANEL BETWEEN PIPING	1/2"	5 3/4"			₹
R. BOTTOM		1/2"	16"			
S. LENGTH OF CF	F ZIPPER	1/4"	9 1/2"			<b>~</b>
T. BACK OF NECH	KLINE	3/8"	6 1/2"			
U. HPS TO BACK	YOKE WITH PIPING	1/4"	9 1/2"			
V. LENGTH OF BA	ACK YOKE WITH PIPING	3/8"	20"		U	1
W. LENGTH OF C	B PIPING	1/4"	9"		<i>J</i>	H. I
X. DISTANCE FRO	OM SIDESEAM TO CB PIPING	3/8"	10"		V.	, [
					201	PLE
					SAWI	
					W.	
					=======================================	7=====
					X. <del> </del>	

# BILL OF MATERIALS NER | Isaac Silva






STYLE #:	5106	FIT TYPE:	Classic	DESIGNER	Isaac Silv	а
FABRIC:	70% Cotton, 30% Nylon	SIZE RANGE:	S-XL	SEASON:	SS 2023	
SAMPLE SIZE:	M	STATUS:	Prototype-1			•

T. A	D	D	TO	

FABRIC							
ITEM	PLACEMENT	SUPPLIER	CONTENT	WIDTH / WEIGHT / SIZE	FINISH	YIELD	COST
					garment		
SELF FABRIC	Body	MOOD Fabrics	70% Cotton, 30% Nylon	57"	laundered, 60 min.	2 1/2 yds.	\$39.98
POCKETING	Cargo pockets	MOOD Fabrics	70% Cotton, 30% Nylon	57"	laundered, 60	1 vd.	\$7.99
THREAD-DTM BODY	Join & overlock	A & E	100% Spun polyester	tex 30	-	1 spool	\$0.99
THREAD-CONTRAST	Topstitch	A & E	100% Spun polyester	tex 90	-	1 spool	\$1.99
HARDWARE							
ITEM	PLACEMENT	SUPPLIER	DESCRIPTION	WIDTH	FINISH	YIELD	COST
CENTER FRONT ZIPPER:	CF	YKK Tokyo	10" Antique brass zipper	-	Antique brass	1	\$1.89
D-RING:	Bottom of top front cargo pockets	Wawak Sewing	Antique brass D-Ring	1/2"	Antique brass	2	\$0.98
BUTTON:	On patch pocket flaps	Wawak Sewing	4-Hole, Plastic button	22L	Matte	3	\$0.28
ARM SLEEVE PATCH:	CF left and right	Shopify	Sew on patch	5"	-	2	\$2.00
PIPING:	Right leg above and below knee zipper	Wawak Sewing	Reflective piping	1/8"	Reflective	1 yd.	\$2.45
CARABINER:	CF left	Wawak Sewing	Matte metal carabiner	-	Matte	1	\$1.75
VELCRO:	On cargo pocket flaps & back pockets	Wawak Sewing	Velcro	30"	-	1 yd.	\$0.75
ZIPPER:	Middle left and right panels above pockets	YKK Tokyo	6 1/2" Antique brass zipper	-	Antique brass	2	\$3.26
LABLELING/ PACKAGING							
ITEM	PLACEMENT	SUPPLIER	DESCRIPTION	WIDTH	FINISH	YIELD	COST
HANGTAG	Attached to right pocket D-Ring	Shopify	Arctic Descent Hangtag	2" X 4"	matte	1	\$2
INTERIOR LABEL	Left side seam 4" above hem	Shopify	Wash and care label	1" X 3"	none	1	\$1
	Below collar on CB	Shopify	Brand, Size, Fiber content, Country of origin	1.5" X 1.5"	none	1	\$0.50

# FABRIC SWATCHES:







#### **CONSTRUCTION DETAILS SHEET**

STYLE NUMBER: 5106 SIZE RANGE: S-XL

PROTO NUMBER: 1 SAMPLE SIZE: M

DESCRIPTION: Utility vest SEASON: SS 2023






CONSTRUCTION DETAIL NUMBER & DESCRIPTION:

Front cargo pocket with D-Rings

CONSTRUCTION DETAIL NUMBER & DESCRIPTION: Sew on patches



CONSTRUCTION DETAIL NUMBER & DESCRIPTION: Carabiner loop


CONSTRUCTION DETAIL NUMBER & DESCRIPTION: Front zipper pockets


#### **CONSTRUCTION DETAILS SHEET**

STYLE NUMBER: 5106 SIZE RANGE: S-XL

PROTO NUMBER: 1 SAMPLE SIZE: M

DESCRIPTION: Utility vest SEASON: SS 2023






CONSTRUCTION DETAIL NUMBER & DESCRIPTION:

Front cargo pockets

CONSTRUCTION DETAIL NUMBER & DESCRIPTION: Large and small front cargo pocket



CONSTRUCTION DETAIL NUMBER & DESCRIPTION:

Back pockets

CONSTRUCTION DETAIL NUMBER & DESCRIPTION: Back pocket flaps

	Construction	n Page			
STYLE #: 5106		FIT TYPE: Classic	•	DESIGNER: Isaac Silva	
FABRIC: 70% Cotton,	30% Nylon	SIZE RANGE: S-XL		SEASON: SS 2023	
Cutting Information: 1					
Stitches per Inch (SPI	) 11 +/- 1 for joining, 8 +/- fo	r topstitching			
AREA	DESCRIPTION	JOIN STITCH	SEAM FINISH	TOPSTITCH	INTER-LINING
FRNT & BCK	join & topstitch	single-needle lock	double-stitched	two needle lock (to match flatfell)	-
COLLAR	join & topstitch	single-needle lock	-	3/8"	-
YOKE	form & finish		1/4" two-needle bottom cover	stitch	-
BARTACKS	see detail sketches	-	-	1/2"	-
FRONT POCKETS	see detail sketches	sin	gle-needle lock	1/4"	-
ARM HOLE	topstitch	single-needle lock	double-stitched	1/4"	-
BOTTOM OPENING	hem	single-needle lock	clean finish	1/2"	-
CLOSURES					
BUTTONHOLE	Buttonhole, keyhole	-	-	-	-
ZIPPER POCKETS	-	single-needle lock		2 rows, 1/4"	-
FRNT POCKETS	join & topstitch	single-needle lock	double-stitched	2 rows, 1/4"	-

# **COLORWAYS SHEET**

STYLE NUMBER:	5106	SIZE RANGE:	S-XL
PROTO NUMBER:	1	SAMPLE SIZE:	M
DESCRIPTION:	Utility vest	SEASON:	SS 2023

MATERIAL	DESCRIPTION	COLORWAY #1	COLORWAY #2	COLORWAY #3	COLORWAY #4
SELF FABRIC:	70% Cotton, 30% Nylon	Olive 18-0328 TCX	Black 419	Soft Chambray 16- 4016 TCX	
THREAD 1:	100% Spun polyester	Olive	Black	Light blue gray	
THREAD 2:	100% Spun polyester	Dark Olive	Black	White	
THREAD 3:					
CONTRAST 1:					
CONTRAST 2:					
CONTRAST 3:					
CONTRAST 4:					
LINING 1:					
LINING 2:					
POCKETING:	70% Cotton, 30% Nylon	Olive 18-0328 TCX	Black 419	Soft Chambray 16- 4016 TCX	
INTERFACING 1:					
INTERFACING 2:					
INTERFACING 3:					
TRIM 1:	4-Hole, Plastic button	Black	Black	Black	
TRIM 2:	Antique brass D-Ring	Antique brass	Antique brass	Antique brass	
TRIM 3:	Matte metal carabiner	Matte black	Matte black	Matte gray	
TRIM 4:	Antique brass zipper	Antique brass	Antique brass	Antique brass	
TRIM 5:	Reflective piping	White	White	White	
TRIM 6:					
EMBROIDERY:					
BEADING:					
APPLIQUE:					
STITCHING:					

# SPECIFICATIONS MEASUREMENT SHEET

STYLE NUMBER and FABRICATION: 5106 70% Cotton, 30% Nylon

DESCRIPTION: Utility vest
SAMPLE SIZE: M

#### (MEASUREMENTS ARE IN INCHES)

			1ST S/	AMPLE	2ND S	AMPLE	3RD S	AMPLE	4TH S	AMPLE
		TOL +/-	Actual	Request	Actual	Request	Actual	Request	Actual	Request
1	NECK DROP FRONT	3/8"	8"		7"	8"	8"			
2	ARMHOLE HEIGHT	1/4"	9 1/2"		9 1/2"		9 1/2"			
3	SHOULDER LENGTH TO ARMHOLE	1/4"	6 3/4"		6 3/4"		6 3/4"			
4	COLLAR WIDTH	3/8"	1 3/4"		1 3/4"		1 3/4"			
5	DISTANCE FROM HPS TO FIRST PIPING PANEL	1/4"	11"	12"	11 1/2"	12"	12"			
6	WAIST 21" FROM HPS	1/8"	10 1/8"		10 1/8"		10 1/8"			
7	HPS TO SEW ON PATCH	1/4"	6"		6"		6"			
8	BOTTOM OF SEW ON PATCH TO TOP OF CARGO POCKET	3/8"	2 1/2"		2 1/2"		2 1/2"			
9	LENGTH OF SIDESEAM	3/8"	10 3/4"		10 3/4"		10 3/4"			
10	CHEST 1" BELOW ARMHOLE (FULL)	1/8"	10 1/8"		9 1/2"	10 1/8"	10 1/8"			
11	DISTANCE BETWEEN PIPING TO ZIPPER POCKET	1/8"	2"		2"		2"			
12	DISTANCE BETWEEN CF ZIPPER TO CARGO POCKET	1/8"	2"		2"		2"			
13	DISTANCE BETWEEN CARABINER PATCH TO CARGO POCKET	1/8"	3/4"		3/4"		3/4"			
14	НЕМ	1/8"	1/4"		1/4"		1/4"			
15	DISTANCE BETWEEN CARABINER PATCH TO SIDESEAM	3/8"	3 1/4"		3 1/4"		3 1/4"			
16	DISTANCE BETWEEN BOTTOM OF CARGO POCKET TO PIPING	1/4"	1 3/4"		1 3/4"		1 3/4"			
17	LENGTH OF MIDDLE PANEL BETWEEN PIPING	1/2"	5 3/4"		6 3/4"	5 3/4"	5 3/4"			
18	воттом	1/2"	16"		16"		16"			
19	LENGTH OF CF ZIPPER	1/4"	9"	9 1/2"	9 1/2"		9 1/2"			
20	BACK OF NECKLINE	3/8"	6 1/2"		6 1/2"		6 1/2"			
21	HPS TO BACK YOKE WITH PIPING	1/4"	9 1/2"		9 1/2"		9 1/2"			
22	LENGTH OF BACK YOKE WITH PIPING	3/8"	20"		20"		20"			
23	LENGTH OF CB PIPING	1/4"	9 1/2"	9"	9"		9"			
24	DISTANCE FROM SIDESEAM TO CB PIPING	3/8"	10"		10"		10"			
25										
26										

#### **SAMPLE TRACKING SHEET**

STYLE NUMBER:	5106	SAMPLE SIZE M
DESCRIPTION:	Utility vest	SEASON: SS 2023

TYPE OF SAMPLE:	First prototype	DATE SAMPLE RECEIVED:	6/28/2022	
FIT NOTES:			APPROVED? YES	NO
CONSTRUCTION NOTES:	Increase distance from HPS to first pipi Increase length of CF zipper by 1/2"	ng panel to 12"	APPROVED? YES	NO
MATERIALS NOTES:	Decrease length of CB piping by 1/2"		APPROVED? YES	NO
OTHER NOTES:			APPROVED? YES	NO
ACTION:	SAMPLE APPROVED AS IS	REQUEST NEW SAMPLE WI	TH ABOVE CHANGES	
DATE APPROVAL OR RI	EQUEST COMMUNICATED: 6/29/20	22		

TYPE OF SAMPLE:	Second prototype	DATE SAMPLE RECEIVED:	7/7/2022	
FIT NOTES:			APPROVED? YES	NO
CONSTRUCTION NOTES:	Increase neck drop front by 1"			
	Increase distance from HPS to	first piping panel to 12"	APPROVED? YES	NO
	Reduce length of middle panel l	between piping by 1"		
MATERIALS NOTES:			APPROVED? YES	NO
OTHER NOTES:			APPROVED? YES	NO
ACTION:	SAMPLE APPROVED AS IS	REQUEST NEW SAMPLE WI	TH ABOVE CHANGES	
7.011011.	0, <u>22</u> / 1 1 1 0 1 <u>2</u> 7 1 0 1 0	REGUEST NEW STAIN EE TO	111712012 011/111020	
DATE APPROVAL OR R	EQUEST COMMUNICATED:	7/7/2022		

TYPE OF SAMPLE:	Third prototype	DATE SAMPLE RECEIVED:	7/14/2022		
FIT NOTES:			APPROVED?	YES	NO
CONSTRUCTION NOTES:			APPROVED?	YES	NO
MATERIALS NOTES:			APPROVED?	YES	NO
OTHER NOTES:			APPROVED?	YES	NO
ACTION:	SAMPLE APPROVED AS IS	REQUEST NEW SAMPLE W	ITH ABOVE CH	ANGES	
DATE APPROVAL OR REQUEST COMMUNICATED: 7/14/2022					